



DOBERMANN

TREADS CATALOGUE

KEY

Leyenda / Legenda / Legende / Legenda / Légende



DRIVE AXLE / EJE DE TRACCIÓN

Eixo de tração / Antriebsachse / Asse trattivo / Essieu de moteur




ALL POSITION / TODAS POSICIONES

Todas as posições / Alle Positionen / Tutte le posizioni / Toutes les positions



FREE AXLE / EJE LIBRE

Eixo livre / Nachlaufachse / Asse lineare / Essieu porteur



APPLICATION CHART

Tabla de aplicación / Tabela de aplicação / Anwendungstabelle

Tabella di applicazione / Tableau d'utilisation

			
	DD-HTX DD-HT3 H4S DD-HTM2 DD-HTL DD-HTL2 DD-HG3	DD-H2 DD-H2R	DD-HFLA DD-HFL2
	RLT DD-RLB	DD-RHL RB	DD-RFMA
	DD-MG2	DD-MX3 DD-MX3R DD-MX2 MTG	
		DD-U750 DD-U750R	

SIZES / MEDIDAS

Medidas / Abmessungen / Misure / Mesures



TREAD WIDTH / ANCHO DE BANDA

Largura da banda / Laufstreifen-Breite / Larghezza battistrada / Largeur de bande



TREAD DEPTH / PROFUNDIDAD DEL PERFIL

Profundidade do perfil / Profiltiefe / Profondità battistrada / Profondeur du profil



WEIGHT / PESO

Peso / Gewicht / Peso / Poids



SHORT TREAD / BANDA CORTA

Banda curta / kurze Laufstreife / Fascia corta / Bande de roulement courte

APPLICATIONS / APLICACIONES

Aplicações / Einsatzzweck / Applicazioni / Applications



LONG HAUL/ LARGA DISTANCIA

Longa distância / Langstrecken / Lunga distanza / Longue distance



SHORT HAUL / CORTA DISTANCIA

Curta distância / Kurzstrecken / Corta distanza / Courte distance



MIXED (ON-ROAD OFF-ROAD) / MIXTO (CARRETERA Y FUERA DE CARRETERA)

Misto (estrada e fora de estrada) / Gemischt (Straße und Gelände) / Misto (strada e fuoristrada) / Mixte (route et hors route)



URBANO / URBAN

Urbano / Stadtverkehr / Urbano / Urbain



SNOW / NIEVE

Neve / Schnee / Neve / Neige



1. SUGGESTED APPLICATION

Sugerido / Sugerido / Empfohlene / Sugerito / Suggérée



2. ALTERNATIVE APPLICATION

Alternativa / Alternativo / Alternative / Alternativo / Alternative

FURTHER INFORMATION / INFORMACIONES ADICIONALES

Informações Adicionais / Zusätzliche Informationen / Informazioni aggiuntive / Informations additionnelles



DOBERMANN EXCLUSIVE / EXCLUSIVO DOBERMANN

Exclusivo Dobermann / Exklusive Dobermann / Esclusivo Dobermann / Exclusif Dobermann



CONTOUR" BASE PROFILE | PERFIL BASE "CONTOUR

Base "contour" | Basisprofil "contour" | Base profilo "contour" | Profil de base "contour"



RADIAL/ RADIAL

Radial / Radial / Radiale / Radial



BIAS / CONVENCIONAL

Diagonal / Diagonal / Convenzionale / Diagonale



WITH WING / CON ALA

Com aba / Mit Rand / Con aletta / Avec bord



SPEED LIMIT CODE / CODIGO DE VELOCIDAD

Código de velocidade / Geschwindigkeit index / Codice di velocità / Code de vitesse



MUD & SNOW | BARRO Y NIEVE

Lama e Neve | Matsch und Schnee | Fango e Neve | Boue et Neige

DOBER SERIES



H SERIES HIGHWAY

DD-HTX
DOBER TRAC EXTRA



DD-HT3
DOBER TRAC III



DD-HTM2
DOBER TRAC MILER II



H4S
DOBER 4 SEASONS



DD-HFL2
DOBER FREE LIGHT II



DD-H2
DOBER 211



DD-H2R
DOBER 211 R



R SERIES REGIONAL

DD-RLB
DOBER LUG



DD-RHL
DOBER HAUL LIGHT



DD-RFMA
DOBER FREE MILER ARCO



RLT
DOBER LT



M SERIES MIX

DD-MG2
DOBER GRABBER II



DD-MX3
DOBER MIX III



DD-MX3R
DOBER MIX III R



MX2
DOBER MIX II



U SERIES URBAN

DD-U750
DOBER U 750



DD-U750R
DOBER U 750 R



DD-HTL
DOBER TRAC LIGHT



DD-HTL2
DOBER TRAC LIGHT II



DD-HG3
DOBER GRIP 321



arco



DD-HFLA
DOBER FREE LIGHT ARCO



RBT
DOBER BIAS TR



MTG
DOBER TRAILER GRIP

H SERIES HIGHWAY

DD-HTX DOBER TRAC EXTRA


code	mm inch		kg/mt lbs/ft		mm inch	
DD-HTX 220	220	8 5/8	4,29	2,88	20	25/32
DD-HTX 230	230	9	4,56	3,06	20	25/32
DD-HTX 240	240	9 1/2	4,76	3,20	20	25/32
DD-HTX 250	250	9 7/8	4,93	3,31	20	25/32
DD-HTX 260	260	10 1/4	5,16	3,47	20	25/32
DD-HTX 270	270	10 5/8	5,39	3,62	20	25/32

H SERIES HIGHWAY


DD-HT3 DOBER TRAC III


code	mm inch		kg/mt lbs/ft		mm inch	
DD-HT3 220	220	8 5/8	4,40	2,96	20	25/32
DD-HT3 230	230	9	4,60	3,09	20	25/32
DD-HT3 240	240	9 1/2	4,80	3,23	20	25/32
DD-HT3 250	250	9 7/8	5,00	3,36	20	25/32
DD-HT3 260	260	10 1/4	5,20	3,49	20	25/32
DD-HT3 270	270	10 5/8	5,40	3,63	20	25/32



H SERIES HIGHWAY

H4S DOBER 4 SEASONS



code	mm	inch	kg/mt	lbs/ft	mm	inch
H4S 260	260	10 1/4	6,45	4,33	22	28/32
H4S 275	275	10 7/8	6,85	4,60	22	28/32



H SERIES HIGHWAY

DD-HTM2 DOBER TRAC MILER II



code	mm	inch	kg/mt	lbs/ft	mm	inch
DD-HTM2 250	250	9 7/8	4,70	3,16	17,5	22/32
DD-HTM2 260	260	10 1/4	4,85	3,26	17,5	22/32
DD-HTM2 270	270	10 5/8	5,00	3,36	17,5	22/32
DD-HTM2 280	280	11	5,15	3,46	17,5	22/32




H SERIES HIGHWAY

DD-HTL DOBER TRAC LIGHT


code	mm	inch	kg/mt	lbs/ft	mm	inch
DD-HTL 220	220	8 5/8	3,83	2,57	17	21/32
DD-HTL 230	230	9	4,01	2,69	17	21/32
DD-HTL 240	240	9 1/2	4,18	2,81	17	21/32
DD-HTL 250	250	9 7/8	4,35	2,92	17	21/32
DD-HTL 260	260	10 1/4	4,54	3,05	17	21/32
DD-HTL 270	270	10 5/8	4,71	3,17	17	21/32

H SERIES HIGHWAY

DD-HTL2 DOBER TRAC LIGHT II


code	mm	inch	kg/mt	lbs/ft	mm	inch
DD-HTL2 220	220	8 5/8	3,68	2,47	17	21/32
DD-HTL2 230	230	9	3,90	2,62	17	21/32
DD-HTL2 240	240	9 1/2	4,05	2,72	17	21/32
DD-HTL2 250	250	9 7/8	4,20	2,82	17	21/32
DD-HTL2 260	260	10 1/4	4,38	2,94	17	21/32

H SERIES HIGHWAY

DD-HG3 DOBER GRIP 321


	 +/- 2%		 +/- 2%		 +/- 2%	
code	mm	inch	kg/mt	lbs/ft	mm	inch

DD-HG3 190	190	7 1/2	3,97	2,67	18	23/32
DD-HG3 205	205	8 1/8	4,16	2,80	18	23/32
DD-HG3 215	215	8 1/2	4,56	3,06	18	23/32
DD-HG3 225	225	8 7/8	4,68	3,15	20	25/32
DD-HG3 235	235	9 1/4	4,87	3,27	20	25/32
DD-HG3 245	245	9 5/8	5,20	3,49	20	25/32
DD-HG3 255	255	10	5,33	3,58	18	23/32
DD-HG3 265	265	10 3/8	5,56	3,74	18	23/32

H SERIES HIGHWAY

DD-HFLA DOBER FREE LIGHT ARCO


	 +/- 2%		 +/- 2%		 +/- 2%	
code	mm	inch	kg/mt	lbs/ft	mm	inch

DD-HFLA 295	295	11 5/8	4,45	2,99	13	16/32
DD-HFLA 305	305	12	4,60	3,09	13	16/32
DD-HFLA 330	330	13	5,00	3,36	13	16/32
DD-HFLA 360	360	14 1/8	5,30	3,56	13	16/32
DD-HFLA 390	390	15 3/8	5,75	3,86	13	16/32

H SERIES HIGHWAY

DD-HFL2 DOBER FREE LIGHT II



	 +/- 2%		 +/- 2%		 +/- 2%	
code	mm	inch	kg/mt	lbs/ft	mm	inch

DD-HFL2 220	220	8 5/8	3,00	2,02	13	16/32
DD-HFL2 230	230	9	3,15	2,12	13	16/32
DD-HFL2 240	240	9 1/2	3,28	2,20	13	16/32
DD-HFL2 250	250	9 7/8	3,43	2,31	13	16/32
DD-HFL2 260	260	10 1/4	3,58	2,41	13	16/32



H SERIES HIGHWAY

DD-H2 DOBER 211



	 +/- 2%		 +/- 2%		 +/- 2%	
code	mm	inch	kg/mt	lbs/ft	mm	inch


DD-H2 160	160	6 1/2	2,61	1,75	14	18/32
DD-H2 180	180	6 7/8	3,13	2,10	14	18/32
DD-H2 190	190	7 1/2	3,45	2,32	16	20/32
DD-H2 205	205	8 1/8	3,86	2,59	16	20/32
DD-H2 215	215	8 1/2	4,43	2,98	18	23/32
DD-H2 225	225	8 7/8	4,68	3,15	18	23/32
DD-H2 235	235	9 1/4	4,82	3,24	18	23/32
DD-H2 245	245	9 5/8	5,02	3,37	18	23/32
DD-H2 255	255	10	5,41	3,64	17	21/32
DD-H2 265	265	10 3/8	5,63	3,78	17	21/32

H SERIES HIGHWAY
DD-H2R DOBER 211 R


code	mm inch		kg/mt lbs/ft		mm inch	
DD-H2R 155	155	6 1/8	2,03	1,36	13	16/32
DD-H2R 165	165	6 1/2	2,28	1,53	13	16/32
DD-H2R 175	175	6 7/8	2,36	1,59	13	16/32
DD-H2R 190	190	7 1/2	2,88	1,94	14	18/32
DD-H2R 205	205	8 1/8	3,31	2,22	14	18/32
DD-H2R 215	215	8 1/2	3,37	2,26	14	18/32
DD-H2R 225	225	8 7/8	3,49	2,35	14	18/32
DD-H2R 235	235	9 1/4	3,71	2,49	14	18/32
DD-H2R 245	245	9 5/8	3,84	2,58	14	18/32
DD-H2R 255	255	10	3,99	2,35	14	18/32
DD-H2R 265	265	10 3/8	4,08	2,35	14	18/32

R SERIES REGIONAL

DD-RLB DOBER LUG



	 +/- 2%		 +/- 2%		 +/- 2%	
code	mm	inch	kg/mt	lbs/ft	mm	inch
DD-RLB 160	160	6 1/8	2,35	1,58	14	18/32
DD-RLB 180	180	7 1/8	3,00	2,02	15	19/32
DD-RLB 190	190	7 1/2	3,32	2,23	16	20/32
DD-RLB 200	200	7 7/8	3,49	2,35	17	21/32
DD-RLB 220	220	8 5/8	3,98	2,67	17	21/32

R SERIES REGIONAL

DD-RHL DOBER HAUL LIGHT



	 +/- 2%		 +/- 2%		 +/- 2%	
code	mm	inch	kg/mt	lbs/ft	mm	inch
DD-RHL 180	180	7 1/8	2,57	1,73	14	16/32
DD-RHL 190	190	7 1/2	2,88	1,94	14	18/32
DD-RHL 200	200	7 7/8	3,03	2,04	14	18/32
DD-RHL 210	210	8 1/4	3,18	2,14	14	18/32
DD-RHL 220	220	8 5/8	3,33	2,24	14	18/32
DD-RHL 230	230	9	3,34	2,34	14	18/32
DD-RHL 240	240	9 1/2	3,63	2,44	14	18/32
DD-RHL 250	250	9 7/8	3,79	2,55	14	18/32
DD-RHL 260	260	10 1/4	4,05	2,72	14	18/32
DD-RHL 270	270	10 5/8	4,19	2,82	14	18/32



R SERIES REGIONAL

DD-RFMA DOBER FREE MILER ARCO



+/- 2%



+/- 2%



+/- 2%

code mm inch kg/mt lbs/ft mm inch

DD-RFMA 295	295	11 5/8	5,20	3,49	14,5	18/32
-------------	-----	--------	------	------	------	-------

DD-RFMA 305	305	12	5,40	3,63	14,5	18/32
-------------	-----	----	------	------	------	-------

DD-RFMA 330	330	13	5,70	3,83	14,5	18/32
-------------	-----	----	------	------	------	-------



arco



R SERIES REGIONAL

RLT DOBER LT



+/- 2%



+/- 2%



+/- 2%

code mm inch kg/mt lbs/ft mm inch


RLT 180	180	7 1/8	2,04	1,37	10,5	13/32
---------	-----	-------	------	------	------	-------

RLT 190	190	7 1/2	2,20	1,48	10,5	13/32
---------	-----	-------	------	------	------	-------

RLT 210	210	8 1/4	2,42	1,63	10,5	13/32
---------	-----	-------	------	------	------	-------



R SERIES REGIONAL
RBT DOBER BIAS TR



code	mm inch		kg/mt lbs/ft		mm inch	
RBT 150	150	5 7/8	2,09	1,40	12,5	16/32
RBT 160	160	6 1/4	2,21	1,49	12,5	16/32
RBT 180	180	7 1/8	2,81	1,89	14	18/32
RBT 190	190	7 1/2	3,01	2,02	14	18/32
RBT 200	200	7 7/8	3,15	2,12	14	18/32
RBT 210	210	8 1/4	3,32	2,23	14	18/32






Buy On-Line at Dobermann Shop
Compra en línea en el Dobermann Shop


www.dshop-eu.dobermann.org

M SERIES MIX
DD-MG2 DOBER GRABBER II



	 +/- 2%		 +/- 2%		 +/- 2%	
code	mm	inch	kg/mt	lbs/ft	mm	inch
DD-MG2 230	230	9	5,55	3,73	22	28/32
DD-MG2 240	240	9 1/2	5,75	3,86	22	28/32
DD-MG2 250	250	9 7/8	6,00	4,03	22	28/32
DD-MG2 260	260	10 1/4	6,30	4,23	22	28/32


M SERIES MIX
DD-MX3 DOBER MIX III


	 +/- 2%		 +/- 2%		 +/- 2%	
code	mm	inch	kg/mt	lbs/ft	mm	inch
DD-MX3 230	230	9	4,35	2,92	18	23/32
DD-MX3 240	240	9 1/2	4,50	3,02	18	23/32
DD-MX3 250	250	9 7/8	4,70	3,16	18	23/32
DD-MX3 260	260	10 1/4	4,90	3,29	18	23/32

M SERIES MIX
DD-MX3R DOBER MIX III R


	 $\pm 2\%$		 $\pm 2\%$		 $\pm 2\%$	
code	mm	inch	kg/mt	lbs/ft	mm	inch
DD-MX3 220	220	8 5/8	3,10	2,08	14	18/32
DD-MX3 230	230	9	3,25	2,18	14	18/32
DD-MX3 240	240	9 1/2	3,40	2,28	14	18/32
DD-MX3 250	250	9 7/8	3,55	2,39	14	18/32


M SERIES MIX
MX2 DOBER MIX II


	 $\pm 2\%$		 $\pm 2\%$		 $\pm 2\%$	
code	mm	inch	kg/mt	lbs/ft	mm	inch
MX2 240	240	9 1/2	5,00	3,36	19	24/32
MX2 250	250	9 7/8	5,25	3,53	19	24/32
MX2 260	260	10 1/4	5,56	3,74	19	24/32



M SERIES MIX

MTG DOBER TRAILER GRIP




code mm inch kg/mt lbs/ft mm inch

MTG 295 295 11 5/8 4,71 3,17 14 18/32



U SERIES URBAN

DD-U750 DOBER U 750


+/- 2%



+/- 2%



+/- 2%

code mm inch kg/mt lbs/ft mm inch

DD-U750 235	235	9 1/4	5,15	3,46	18	23/32
DD-U750 245	245	9 5/8	5,45	3,76	18	23/32
DD-U750 255	255	10	5,75	3,86	18	23/32


U SERIES URBAN

DD-U750R DOBER U 750 R


+/- 2%



+/- 2%



+/- 2%

code mm inch kg/mt lbs/ft mm inch

DD-U750R 225	225	8 7/8	4,05	2,72	16	20/32
DD-U750R 235	235	9 1/4	4,25	2,86	16	20/32
DD-U750R 245	245	9 5/8	4,39	2,95	16	20/32
DD-U750R 255	255	10	4,57	3,07	16	20/32



DOBERMANN

TREADS CATALOGUE

Follow **Dobermann Rubber**



www.dobermann.org